# AUTHOR INDEX


Adachi, Yasuki 525
Adams, T. F. 81
Aitken, D. K. 251
Albright, James N. 171
Alwes, D. 1
Ang, James A. 23
Asay, J. R. 35, 51, 67, 107

Banks, N. E. 309
Barker, L. M. 67, 107
Bergeson, S. D. 295, 555
Blossom, A. 555
Bureo, R. 499
Burns, Kerry L. 171

Cagliostro, D. J. 81
Chapyak, E. J. 81
Charters, A. C. 93, 241
Chau, H. H. 323, 439
Chhabildas, L. C. 67, 107
Christiansen, Eric L. 125
Collopy, M. T. 261, 295, 555
Cour-Palais, Burton G. 135
Crews, Jeanne Lee 135
Cuadros, J. H. 147
Curling, H. L., Jr. 261, 295, 555

Dent, Ken 571

Elrick, M. G. 351

Finnegan, S. A. 159
Franzen, R. R. 427
Fugelso, L. Erik 171

Gathers, R. 439
Glenn, Lewis A. 185
Gordon, J. T. 241
Grady, D. E. 197, 587
Gurson, Arthur L. 213

Hawke, R. S. 51
Heimdahl, O. E. R. 159
Hohler, V. 543
Holian, Kathleen S. 231
Holland, P. M. 241
Holmquist, Tim J. 281
Hopper, V. D. 251
Hruska, D. 473

Idzorek, G. C. 261, 295, 555
Igenbergs, E. 271
Iglseder, H. 271

Johnson, Gordon R. 281

Keaton, P. W. 261, 295, 555
Keith, J. C. 309
Kennedy, C. M. 473
Klopp, R. W. 323

Lambert, M. 499
Langner, Gerald C. 171
Lawrence, R. Jeffery 337
Lee, R. 439
Lehr, H. F. 413

Mandell, D. A. 81
Marmor, E. 483
Mayseless, M. 483
McColl, D. B. 261, 295
McGlaun, J. M. 351, 587, 601
Meier, J. K. 361
Meier, Robert W. 375
Melin, Roger W. 389
Menna, T. L. 93, 241
Miller, S. 403

Naz, P. 413

Ohtaki, Hideshige 525
Orphal, D. L. 427
Osher, J. E. 323, 439

Passman, S. L. 197
Piekutowski, Andrew J. 93, 453
Pomykal, G. 439
Pyun, J. J. 473

Rosenberg, Z. 483
Rowton, L. J., Sr. 295

Scheffler, Daniel R. 487
Schneider, E. 499, 543
Schonberg, William P. 509
Schulz, J. C. 159
Schwalbe, L. A. 81
Seagrave, J. D. 295
Sewell, D. K. B. 251
Shiral, Yujiro 525
Shockey, D. A. 323
Smith, J. D. 295
Sommers, William J., Jr. 571
Souka, Omar A. 281, 535
Stilp, A. J. 499, 543
Stradling, G. L. 261, 295, 555
Stryk, Robert A. 281
Studebaker, J. K. 555
Suehiro, Fumio 525
Swift, H. F. 579

Thompson, S. L. 351
Trucano, T. G. 35, 51, 67, 107, 587, 601
Tsou, Peter 615

Weber, K. 543
Weingart, R. 439

Zukas, Jonas A. 487

## SUBJECT INDEX


advection, 231, 351, 361, 601
advection sensitivity, 361
air drag, 309
armor-antiarmor, 81, 93, 147, 159, 213, 241, 281, 413, 427, 483, 487

breakup
  see fragmentation
breakup--liquid, 309
bumper shield, 135, 213, 389, 453, 499, 509, 525, 579
bumper shield
  see target--dual wall

capture media, 615
chemical fractionation, 251
collapse angle, 403
collision point, 23
COLUMBUS, 1, 499
COLUMBUS
  see space station
compressed air gun, 107
cosmic dust, 261, 295
crater depth, 271
crater diameter, 271, 351
crater formation, 413
crater morphology, 271
crater profile, 241
crater scaling, 323
crater shape, 413
crater size distribution, 323
cratering, 93, 261, 295, 323, 439, 499, 509, 525, 543

damage curves, 1
data acquisition, 261
debris cloud, 35, 159, 197, 231, 323, 453, 543, 587, 601
  effect of impact velocity, 453
  effect of projectile mass, 453
  material distribution, 453
  proj. diameter/bumper thick, 453
  rear wall pressure loading, 453
debris cloud dynamics, 453
debris cloud formation, 361, 509
debris cloud propagation, 509
debris cloud transport, 361
delamination, 125
density, 615
ductile failure, 579, 587

earth impact, 251
elastic modulus, 125
elongation to failure, 579
equation of state, 35, 51, 231
  nonequilibrium effects, 231
  Osborne, 231
  SESAME, 231
  Tillotson, 231
equation of state studies, 51
erosion, 615
erosion algorithm, 473
Eulerian, 81, 231, 351
Eulerian step, 231, 351
evaporation, 251
expansion, 231
expansion velocity, 35, 543, 587
explosive launcher, 171

failure criteria, 125
  elongation, 579
failure
  see fragmentation
flier plate--aluminum, 67
  Kapton, 439
  molybdenum, 67
  tantalum, 67
  titanium, 67
  tungsten, 67
fluid interface, 309
fracture toughness, 107
fracture
  see fragmentation
fragment cloud
  see debris cloud
fragment distribution, 159, 281
fragment expansion velocity, 499
fragment number, 107, 579
fragment size, 107
fragment size distribution, 323
fragment velocity, 543
fragment velocity distribution, 323
fragmentation, 107, 159, 185, 197, 213, 281, 323, 453, 525, 579, 587, 601

gas gun, 51
gasdynamic gun, 185
graphite epoxy, 125

Henbury meteorite, 251
hole diameter, 525, 543
hole size, 375
Hugoniot elastic limit, 107

image processing, 535
impact angle, 23
impact crater patterns, 543
impact flash, 23
impact signature, 23
impulse detection, 555
instability, 197
instability growth, 309
intact capture, 615
interface reconstruction, 351
interface tracking, 231, 351, 601
interior ballistics, 185
isentropic loading, 107

jet axial stability, 403
jet formation, 23
jet initiation model, 23
jet radial stability, 403
jet tip velocity, 403

Lagrangian, 281
Lagrangian step, 231, 351
launchers--electric gun, 323, 439
  electromagnetic, 51
  exploding bridge foil, 439
  explosive, 171, 403
  gas gun, 51, 67
  gas dynamic, 185
  magnetic assist, 439
  multi-stage, 185
  plasma accelerator, 271
  shaped charge, 403
  three-stage gun, 51
  two-stage light gas gun, 185

Van de Graaff, 261, 295, 555
Voitenko implosion gun, 185
liquid breakup, 309
liquid-filled pellet, 571
long-rod penetration, 81
also see segmented rods

mass distribution, 571
mass recovery, 615
material disintegration
see fragmentation
melting, 135, 323, 453, 525
also see phase transformation
mesostructure, 615
meteorite impact, 251
meteoroid shields
see bumper shield
micrometeorites, 439, 389
microparticle impact, 261, 295
microparticles, 555
mixed phase flow, 35
momentum enhancement, 295, 337, 555
momentum impulse calibration, 555
momentum impulse detector, 555
momentum transfer, 337
multi-shock impacts, 135

NAG/FRAG, 323
Navier-Stokes model, 309
non-Newtonian fluid, 309
numerical diffusion, 231
numerical simulations--3D, 81, 281, 351, 487, 601
ADINA, 125
advection schemes, 601
advection sensitivity, 361
AUTODYN, 241
CALE, 439
CHARTD, 35
CONFUSE, 439
CSQ, 35, 427
CSQIII, 197
CTH, 35, 351, 587, 601
C-HEMP, 323
DFRACT, 323
DYNA2D, 171
element arrangement, 281
EPIC-2, 281, 473, 487, 535
EPIC-3, 281
fragment motion, 601
GGUN, 185
grid resolution, 601
hole size, 375
HULL, 413, 487, 571
IGUN, 185
impulse, 375
interface tracking, 601
maximum pressure, 375
MESA, 81
mesh resolution, 361
MUNROE, 403
PAM-EFHYD, 1
parametric study, 361, 375
PINON, 231, 361, 375
PISCES, 525
PMIN sensitivity, 361
P2-$\tau$, 375
slideline/erosion, 473
SWAP, 453
target variations, 375
numerical techniques, 231, 281, 351

oblique impact, 281, 487
obliquity, 81

particle event analysis, 261
penetration depth, 241, 351, 413, 615
penetration diameter, 509
penetration model, 93
crater profile, 241
long rod, 93
unsteady, 487
penetrator
see projectile
penetrator--aluminum, 23, 125, 159, 499, 509, 525
carbon, 23
chunky, 439
copper, 427, 453, 473
copper rod, 281
cube, 159
cylinder, 125, 361, 525, 587, 601
disc, 453
foam, steel projectile, 171
foam slug, 171
glass, 271
hardened steel, 159
hybrid, 241
iron, 23
lead, 587
long rod, 81, 93, 147, 241, 281, 351, 483, 487
L/D effect, 427
magnesium, 23
meteorite, 251
mild steel, 159
nylon, 125
polycarbonate, 525
segment spacing, 427, 487
segmented rod, 93, 147, 241, 413, 427, 487
silver, 23
sphere, 125, 135, 159, 197, 213, 231, 271, 295, 337, 375, 453, 499, 509, 543
steel, 23, 543
steel (1020), 483
steel (4130), 483
steel (4340), 473
tantalum, 35, 427
tungsten, 23
tungsten alloy, 93, 147, 281, 351, 361, 375, 413, 483, 487, 601, 543,
velocity effects, 487
perforation models, 389
perturbation, 197, 309
phase transformation, 35, 323, 525, 543
phase transformation
see melting
phase transformation
see vaporization
ply orientation, 125
pressure-time history, 375
projectile breakup, 579
also see fragmentation
projectile integrity, 67, 107, 185
projectile size effects, 615
projectile
see penetrator
projectile--aluminum, 1, 107, 135, 389, 615
chunky, 579
conducting spheres, 295
copper, 135, 571, 615
extensible, 413
glass beads, 439
hollow sphere, 571

Kapton, 439
Kapton flyer, 323
lead, 197, 231, 615
liquid, 309
microparticles, 555
molybdenum, 107
nickel, 571
polypyrrole colloids, 295
ruby, 135
sphere, 571
spheres, 389
stainless steel, 615
steel, 213
tantalum, 107
titanium alloy (Ti-6Al-4V), 107
tungsten alloy, 107, 241
uranium, 197
zinc, 615
P2-τ, 375

radiographic analysis, 535
remapping, 231, 351
rod rotation rates, 81
rod trajectory deflection, 81

scaling--crater, 323
geometric, 213
momentum enhancement, 337
replica model, 543
segment shape, 147
segment spacing, 427, 487
segmented rods, 93, 147, 241, 413, 427, 487
shaped charge, 23, 403
shaped charge jet, 535
shield protection, 543
shielding, 135
shielding
see bumper shield
shock heating, 35
shock heating effects, 251
shock wave propagation, 23
silicates, 251
slideline/erosion algorithm, 473
space debris, 389
space station, 1, 125, 135, 389, 499, 509, 525
space station
see COLUMBUS
spaced impactors
see segmented rods
spaced plates, 93, 487
also see target--dual plate
spall, 509
spall strength, 67, 107
spall strength--normalized, 107
steady-state penetration, 483
strength, 483, 487, 543, 579, 615
strength effects, 81

target resistance, 483
target--ablator and aluminum substrate, 361, 375
acrylic, 1
air, 309
aluminum, 23, 213, 271, 323, 389, 427, 439, 453, 499, 509, 525, 601
aluminum alloy, 159
aluminum (6061-T6), 135, 241
cadmium, 35
dual plate, 499, 543, 579
also see spaced plates
dual wall, 509, 525
also see bumper shield
earth, 251
glass, 499
gold, 23, 271
graphite/epoxy, 125, 509
hardened steel, 159
hardness effects, 159
heat pipes, 389
iron, 271
Kevlar, 509
laminated glass, 1
layered, 571
lead, 35, 197, 231, 323, 587
mild steel, 159
multi-sheet, 135
Nextel, 135
plastic, 601
plastics, 1
plexiglass, 473
polyacrylonitrile, 615
polyethylene, 615
polyimide, 615
polymer foam, 615
polystyrene, 615
polyurethane foam, 375
spaced plate, 147
spaced target, 375
steel, 93, 147, 281, 323, 351, 413, 487, 543, 571
steel armor, 81
steel (1020), 483
steel (4130), 483
steel (4340), 241, 427, 473
steel (armor), 483
steel (high hard), 483
steel-jacketed sandstone, 171
tantalum, 601
thickness effects, 159
titanium, 323
titanium alloy, 159
transparent materials, 1
triplex glass pane, 1
tubes, 125
tungsten, 271
uranium, 197
thermal property, 615
thermodynamic cell, 351
three-stage railgun, 51
two-stage light gas gun, 51, 67, 107, 147, 185

unsteady penetration, 487

vaporization, 35, 135, 231, 323, 337, 601
also see phase transformation
viewport, 1
viscoelasticity, 309
void nucleation and growth, 323

well perforation, 171
wind shear, 309
wind waves, 309
witness plate--aluminum (1100-F), 135
copper, 135

X-ray analysis, 535

yaw, 81
yield strength, 107
yield strength--pressure dependence, 107
temperature dependence, 107